```
Sequence Listing could not be accepted.
If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).
Reviewer: Anne Corrigan
Timestamp: [year=2008; month=7; day=14; hr=17; min=7; sec=14; ms=25; ]
______
Reviewer Comments:
<210>
     33
<211> 30
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> The Xaa at positions 2 to 3 can be any amino acid
<220>
<221> MISC_FEATURE
<222> (4)..(24)
<223>
     The Xaa at positions 4 to 24 can be any amino acid, where up to
     16 amino acids 4 to 24 can be absent
<220>
<221> MISC_FEATURE
<222> (26)..(29)
<223>
     The Xaa at positions 26 to 29 can be any amino acid
```

<400>

33

Validated By CRFValidator v 1.0.3

Application No: 10535167 Version No: 1.0

Input Set:

Output Set:

Started: 2008-07-14 16:19:26.308 **Finished:** 2008-07-14 16:19:27.942

Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 634 ms

Total Warnings: 35
Total Errors: 0

No. of SeqIDs Defined: 35
Actual SeqID Count: 35

Error code		Error Description									
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(1)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(2)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(3)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(4)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(5)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(6)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(7)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(8)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(9)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(10)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(11)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(12)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(13)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(14)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(15)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(16)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(17)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(18)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(19)
W	213	Artificial o	or	Unknown	found	in	<213>	in	SEQ	ID	(20)

Input Set:

Output Set:

Started: 2008-07-14 16:19:26.308 **Finished:** 2008-07-14 16:19:27.942

Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 634 ms

Total Warnings: 35

Total Errors: 0

No. of SeqIDs Defined: 35

Actual SeqID Count: 35

Error code Error Description

This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

```
<110> Fong, Timothy
      Te, Alexis
<120> Cytomodulating Peptides for Treating Interstitial Cystitis
<130> A-71864 (465840-TBD)
<140> 10535167
<141> 2008-07-14
<150> PCT/US2003/037043
<151> 2003-11-17
<150> US 60/426,684
<151> 2003-05-15
<150> US 60/426,684
<151> 2002-11-15
<160> 35
<170> PatentIn version 3.3
<210> 1
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> The Xaa at position 1 can be any basic amino acid, preferably
      lysine or arginine
<220>
<221> MISC_FEATURE
<222> (2)..(4)
<223> The Xaa at positions 2 to 4 can be any non-polar aliphatic or
      aromatic amino acid of from 5 to 6 carbon atoms, preferably any
      amino acid other than a polar aliphatic amino acid
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> The Xaa at position 5 can be any basic amino acid, preferably
      lysine or arginine
<220>
<221> MISC_FEATURE
```

<222> (6)..(8)

```
<223> The Xaa at positions 6 to 8 can be any non-polar aliphatic or
       aromatic amino acid of from 5 to 6 carbon atoms, preferably any
       amino acid other than a polar aliphatic amino acid
<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> The Xaa at position 9 can be glycine, or any basic amino acid, or
       an aliphatic hydrophobic amino acid of from 5 to 6 carbon atoms
<400> 1
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr
<210> 2
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> The Xaa at position 2 can be an uncharged aliphatic or aromatic
       amino acid, preferably a non-polar aliphatic or aromatic amino
       acid
<220>
<221> MISC_FEATURE
<222> (3)..(4)
<223> The Xaa at positions 3 to 4 can be any non-polar aliphatic or
       aromatic amino acid of from 5 to 6 carbon atoms, preferably any
       amino acid other than a polar aliphatic amino acid
<220>
<221> MISC FEATURE
<222> (6)..(8)
<223> The Xaa at positions 6 to 8 can be any non-polar aliphatic or
       aromatic amino acid of from 5 to 6 carbon atoms, preferably any
       amino acid other than a polar aliphatic amino acid
<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> The Xaa at position 9 can be glycine, or any basic amino acid, or
       an aliphatic hydrophobic amino acid of from 5 to 6 carbon atoms
<400> 2
Arg Xaa Xaa Xaa Arg Xaa Xaa Xaa Tyr
1
                5
                                   10
```

```
<210> 3
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 3
Arg Leu Leu Arg Leu Leu Gly Tyr
   5
<210> 4
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 4
Arg Val Leu Leu Arg Leu Leu Gly Tyr
                             10
            5
<210> 5
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 5
Arg Ile Leu Leu Arg Leu Leu Gly Tyr
1 5
<210> 6
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 6
Arg Leu Val Leu Arg Leu Leu Gly Tyr
            5
```

```
<210> 7
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 7
Arg Leu Ile Leu Arg Leu Leu Gly Tyr
     5
<210> 8
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 8
Arg Leu Leu Val Arg Leu Leu Gly Tyr
   5
<210> 9
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 9
Arg Leu Leu Ile Arg Leu Leu Gly Tyr
<210> 10
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 10
Arg Leu Leu Arg Val Leu Leu Gly Tyr
            5
```

```
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 11
Arg Leu Leu Arg Ile Leu Leu Gly Tyr
             5
<210> 12
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 12
Arg Leu Leu Arg Leu Val Leu Gly Tyr
<210> 13
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 13
Arg Leu Leu Arg Leu Ile Leu Gly Tyr
                               10
<210> 14
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 14
Arg Leu Leu Arg Leu Leu Val Gly Tyr
    5
<210> 15
```

<210> 15 <211> 10

```
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 15
Arg Leu Leu Arg Leu Leu Ile Gly Tyr
    5
<210> 16
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 16
Arg Trp Leu Leu Arg Leu Leu Gly Tyr
<210> 17
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 17
Arg Leu Trp Leu Arg Leu Leu Gly Tyr
    5
<210> 18
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 18
Arg Leu Leu Trp Arg Leu Leu Gly Tyr
             5
<210> 19
<211> 10
<212> PRT
```

```
<213> Artificial
<220>
<223> Synthetic
<400> 19
Arg Leu Leu Arg Trp Leu Leu Gly Tyr
<210> 20
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 20
Arg Leu Leu Arg Leu Trp Leu Gly Tyr
    5
<210> 21
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 21
Arg Leu Leu Arg Leu Leu Trp Gly Tyr
             5
                               10
<210> 22
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 22
Arg Tyr Leu Leu Arg Leu Leu Gly Tyr
<210> 23
<211> 10
<212> PRT
<213> Artificial
```

```
<220>
<223> Synthetic
<400> 23
Arg Leu Tyr Leu Arg Leu Leu Gly Tyr
    5
<210> 24
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 24
Arg Leu Leu Tyr Arg Leu Leu Gly Tyr
              5
<210> 25
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 25
Arg Leu Leu Arg Tyr Leu Leu Gly Tyr
<210> 26
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 26
Arg Leu Leu Arg Leu Tyr Leu Gly Tyr
     5
<210> 27
<211> 10
<212> PRT
<213> Artificial
```

```
<400> 27
Arg Leu Leu Arg Leu Leu Tyr Gly Tyr
<210> 28
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (2)..(4)
<223> The Xaa at positions 2 to 4 are norleucine or any D-stereoisomer
      amino acid
<220>
<221> MISC_FEATURE
<222> (6)..(8)
<223> The Xaa at positions 2 to 4 are norleucine or any D-stereoisomer
      amino acid
<400> 28
Arg Xaa Xaa Xaa Arg Xaa Xaa Gly Tyr
<210> 29
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<400> 29
Gly Ser Gly Gly Ser
<210> 30
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic
```

<220>

<223> Synthetic

```
Gly Gly Gly Ser
<210> 31
<211> 32
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> The Xaa at positions 1 to 5 can be any amino acid
<220>
<221> MISC_FEATURE
<222> (7)..(9)
<223> The Xaa at positions 7 to 9 can be any amino acid, where one of
      amino acids 7 to 9 can be absent
<220>
<221> MISC_FEATURE
<222> (11)..(22)
<223> The Xaa at positions 11 to 22 can be any amino acid, where up to
      8 of amino acids 11 to 22 can be absent
<220>
<221> MISC_FEATURE
<222> (24)..(26)
<223> The Xaa at positions 24 to 26 can be any amino acid
<220>
<221> MISC_FEATURE
<222> (28)..(32)
<223> The Xaa at positions 28 to 32 can be any amino acid
<400> 31
Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa
               5
                                   10
Xaa Xaa Xaa Xaa Xaa His Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
         20
                           25
<210> 32
<211> 33
```

<400> 30

<212> PRT

<213> Artificial

```
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (7)..(26)
<223> The Xaa at positions 7 to 26 can be any amino acid, where up to
      17 amino acids 7 to 26 can be absent
<400> 32
Phe Gln Cys Glu Glu Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
                                10
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa His Ile Arg Ser His Thr
                           25
          20
Gly
<210> 33
<211> 30
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> The Xaa at positions 2 to 3 can be any amino acid
<220>
<221> MISC FEATURE
<222> (4)..(24)
<223> The Xaa at positions 4 to 24 can be any amino acid, where up to
      16 amino acids 4 to 24 can be absent
<220>
<221> MISC_FEATURE
<222> (26)..(29)
<223> The Xaa at positions 26 to 29 can be any amino acid
<400> 33
5
                               10
                                                 15
```

20 25 30

```
<210> 34
<211> 33
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (7)..(26)
<223> The Xaa at positions 7 to 26 can be any amino acid, where up to
      16 amino acids 7 to 26 can be absent
<400> 34
Val Lys Cys Phe Asn Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
                                 10
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa His Thr Ala Arg Asn Cys
         20
                            25
                                                30
Arg
<210> 35
<211> 34
<212> PRT
<213> Artificial
<220>
<223> Synthetic
<220>
<221> MISC_FEATURE
<222> (10)..(29)
<223> The Xaa at positions 10 to 29 can be any amino acid, where up to
      16 amino acids 10 to 29 can be absent
<400> 35
Met Asn Pro Asn Cys Ala Arg Cys Gly Xaa Xaa Xaa Xaa Xaa Xaa Xaa
  5
                 10
```

25

30

20